

Topics

[E-commerce](#)

[Intranets](#)

[Mobile & Tablet](#)

[User Testing](#)

[Web Usability](#)

[See all topics...](#)

Author

[Jakob Nielsen](#)

[Don Norman](#)

[Bruce "Tog" Tognazzini](#)

[See all authors...](#)

Recent Articles

[Time with Users: Set Personal and Company Goals](#)

[Nonfiction Books on Tablets: Still a Work in Progress](#)

[Shopping Online for an iPhone Plan Is Painful](#)

[Progress Indicators Make a Slow System Less Insufferable](#)

[Social Proof in the User Experience](#)

[See all articles...](#)

Popular Articles

[Usability 101: Introduction to Usability](#)

[Top 10 Mistakes in Web Design](#)

[How Users Read on the Web](#)

Subscribe to:

[Jakob Nielsen's Alertbox Newsletter](#)

10 Usability Heuristics for User Interface Design

by [JAKOB NIELSEN](#) on January 1, 1995

Topics: [Heuristic Evaluation](#) [Human Computer Interaction](#) [Standards](#) [Web Usability](#)

Summary: Jakob Nielsen's 10 general principles for interaction design. They are called "heuristics" because they are broad rules of thumb and not specific usability guidelines.

Visibility of system status

The system should always keep users informed about what is going on, through appropriate feedback within reasonable time.

Match between system and the real world

The system should speak the users' language, with words, phrases and concepts familiar to the user, rather than system-oriented terms. Follow real-world conventions, making information appear in a natural and logical order.

User control and freedom

Users often choose system functions by mistake and will need a clearly marked "emergency exit" to leave the unwanted state without having to go through an extended dialogue. Support undo and redo.

Consistency and standards

Users should not have to wonder whether different words, situations, or actions mean the same thing. Follow platform conventions.

Error prevention

Even better than good error messages is a careful design which prevents a problem from occurring in the first place. Either eliminate error-prone conditions or check for them and present users with a confirmation option before they commit to the action.

Recognition rather than recall

Minimize the user's memory load by making objects, actions, and options visible. The user should not have to remember information from one part of the dialogue to another. Instructions for use of the system should be visible or easily retrievable whenever appropriate.

(Read full article on [recognition vs. recall in UX.](#))

Flexibility and efficiency of use

Accelerators -- unseen by the novice user -- may often speed up the interaction for the expert user such that the system can cater to both inexperienced and experienced users. Allow users to tailor frequent actions.

Aesthetic and minimalist design

Dialogues should not contain information which is irrelevant or rarely needed. Every extra unit of information in a dialogue competes with the relevant units of information and diminishes their relative visibility.

Help users recognize, diagnose, and recover from errors

Error messages should be expressed in plain language (no codes), precisely indicate the problem, and constructively suggest a solution.

Help and documentation

Even though it is better if the system can be used without documentation, it may be necessary to provide help and documentation. Any such information should be easy to search, focused on the user's task, list concrete steps to be carried out, and not be too large.

I originally developed the heuristics for [heuristic evaluation](#) in collaboration with Rolf Molich in 1990 [Molich and Nielsen 1990; Nielsen and Molich 1990]. I since refined the heuristics based on a factor analysis of 249 usability problems [Nielsen 1994a] to derive a set of heuristics with maximum explanatory power, resulting in this revised set of heuristics [Nielsen 1994b].

See Also:

- Bruce "Tog" Tognazzini's list of [basic principles for interface design](#). The list is slightly too long for heuristic evaluation but serves as a useful checklist.
- Examples of the [10 heuristics in Web applications](#).
- The 10 usability heuristics [applied to everyday life](#) (just for fun).
- Full set of [2,397 usability guidelines](#) (across multiple reports).

References

- Molich, R., and Nielsen, J. (1990). Improving a human-computer dialogue, *Communications of the ACM* **33**, 3 (March), 338-348.
- Nielsen, J., and Molich, R. (1990). Heuristic evaluation of user interfaces, *Proc. ACM CHI'90 Conf.* (Seattle, WA, 1-5 April), 249-256.
- Nielsen, J. (1994a). Enhancing the explanatory power of usability heuristics. *Proc. ACM CHI'94 Conf.* (Boston, MA, April 24-28), 152-158.
- Nielsen, J. (1994b). Heuristic evaluation. In Nielsen, J., and Mack, R.L. (Eds.), *Usability Inspection Methods*, John Wiley & Sons, New York, NY.

[Copyright](#) © 2005 by Jakob Nielsen. ISSN 1548-5552

Share this article: [Twitter](#) | [LinkedIn](#) | [Google+](#) | [Email](#)

Learn More

Training Courses

[Top Web UX Design Guidelines](#)
[The Human Mind and Usability](#)

Articles

[How to Conduct a Heuristic Evaluation](#)
[Usability 101: Introduction to Usability](#)

UX Basic Training

Web Page UX Design

Interaction Design: 3-Day Course

Mental Models

Teenage Usability: Designing Teen-Targeted Websites

Ecommerce Usability Improvements